

FISYDGSNKHYADSVKG (SEQ ID NO:33) and TGWLGPFDY (SEQ ID NO: 37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVSSSFLA (SEQ ID NO:25), GASSRAT (SEQ ID NO:30), and QQYGSSPWT (SEQ ID NO:35), respectively.

Please replace the paragraph beginning on page 7, line 13, with the following amended paragraph:

Other human sequence antibodies of the invention comprise heavy chain CDR1, CDR2, and CDR3 sequences, SYGMH (SEQ ID NO:28), VIWYDGSNKYYADSVKG (SEQ ID NO:34) and APNYIGAFDV (SEQ ID NO:38), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQGISSWLA (SEQ ID NO:26), AASSLQS (SEQ ID NO:31), and QQYNSYPPT (SEQ ID NO:36), respectively.

Please replace the paragraph beginning on page 8, line 3, with the following amended paragraph:

The invention provides a hybridoma cell line comprising a B cell obtained from a transgenic non-human animal having a genome comprising a human sequence heavy chain transgene and a human sequence light chain transgene, wherein the hybridoma produces a human sequence antibody that specifically binds to human CTLA-4. In a related embodiment, the hybridoma secretes a human sequence antibody that specifically binds human CTLA-4 or binding fragment thereof, wherein the antibody is selected from the group consisting of: a human sequence antibody comprising heavy chain heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGNNKYYADSVKG (SEQ ID NO:32) and TGWLGPFDY (SEQ ID NO:37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVGSSYLA (SEQ ID NO:24), GAFSRAT (SEQ ID NO:29), and QQYGSSPWT (SEQ ID NO:35), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:17 and SEQ ID NO:7, respectively; a human sequence antibody comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYTMH (SEQ ID NO:27), FISYDGSNKHYADSVKG

(SEQ ID NO:33) and TGWLGPFDY (SEQ ID NO: 37), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQSVSSSFLA (SEQ ID NO:25), GASSRAT (SEQ ID NO:30), and QQYGSSPWT (SEQ ID NO:35), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:19 and SEQ ID NO:9, respectively; or a human sequence antibody of claim 1, comprising heavy chain CDR1, CDR2, and CDR3 sequences, SYGMH (SEQ ID NO:28), VIWYDGSNKYYADSVKG (SEQ ID NO:34) and APNYIGAFDV (SEQ ID NO:38), respectively, and light chain CDR1, CDR2, and CDR3 sequences, RASQGISSWLA (SEQ ID NO:26), AASSLQS (SEQ ID NO:31), and QQYNSYPPT (SEQ ID NO:36), respectively, and heavy chain and light chain variable region amino acid sequences as set forth in SEQ ID NO:23 and SEQ ID NO:13, respectively.

Please replace Table 3, on page 72, lines 1-4, with the following amended table:

Chain	HuMAb	CDR1	SEQ ID NO:	CDR2	SEQ ID NO:	CDR3	SEQ ID NO:
Light Chain	10D1	RASQSVGSSYLA	24	GAFSRAT	29	QQYGSSPWT	35
	4B6	RASQSVSSSFLA	25	GASSRAT	30	QQYGSSPWT	35
	1E2	RASQGISSWLA	26	AASSLQS	31	QQYNSYPPT	36
Heavy Chain	10D1	SYTMH	27	FISYDGNKYYADSVKG	32	TGWLGPFDY	37
	4B6	SYTMH	27	FISYDGSNKHYADSVKG	33	TGWLGPFDY	37
	1E2	SYGMH	28	VIWYDGSNKYYADSVKG	34	APNYIGAFDV	38

Please replace the paragraph beginning on page 76, line 16, with the following amended paragraph:

The kappa light chain plasmid, pCK7-96 (SEQ ID NO:39), includes the kappa constant region and polyadenylation site, such that kappa sequences amplified with 5' primers that include HindIII sites upstream of the initiator methionine can be digested with HindIII and BbsI, and cloned into pCK7-96 digested with HindIII and BbsI to reconstruct a complete light chain coding sequence together with a polyadenylation site. This cassette can be isolated as a HindIII/NotI fragment

and ligated to transcription promoter sequences to create a functional minigene for transfection into cells.

Please replace the paragraph beginning on page 76, line 23, with the following amended paragraph:

The gamma1 heavy chain plasmid, pCG7-96 (SEQ ID NO:40), includes the human gamma1 constant region and polyadenylation site, such that gamma sequences amplified with 5' primers that include HindIII sites upstream of the initiator methionine can be digested with HindIII and AgeI, and cloned into pCG7-96 digested with HindIII and AgeI to reconstruct a complete gamma1 heavy chain coding sequence together with a polyadenylation site. This cassette can be isolated as a HindIII/SalI fragment and ligated to transcription promoter sequences to create a functional minigene for transfection into cells.

Please replace the paragraph beginning on page 76, line 31, with the following amended paragraph:

The gamma4 heavy chain plasmid, pG4HE (SEQ ID NO:41), includes the human gamma4 constant region and polyadenylation site, such that gamma sequences amplified with 5' primers that include HindIII sites upstream of the initiator methionine can be digested with HindIII and AgeI, and cloned into pG4HE digested with HindIII and AgeI to reconstruct a complete gamma4 heavy chain coding sequence together with a polyadenylation site. This cassette can be isolated as a HindIII/EcoRI fragment and ligated to transcription promoter sequences to create a functional minigene for transfection into cells.

Please insert the following paragraph immediately before the paragraph beginning at page 93, line 1 of the specification:

SEQ ID NO:1 pGP1k

AATTAGCGGC CGCTGTCGAC AAGCTTCGAA TTCAGTATCG ATGTGGGGTA	50
CCTACTGTCC CGGGATTGCG GATCCGCGAT GATATCGTTG ATCCTCGAGT	100
GCGGCCGCGAG TATGCAAAAA AAAGCCCGCT CATTAGGCGG GCTCTTGGCA	150
GAACATATCC ATCGCGTCCG CCATCTCCAG CAGCCGCACG CGGCGCATCT	200
CGGGCAGCGT TGGGTCCTGG CCACGGGTGC GCATGATCGT GCTCCTGTCTG	250

TTGAGGACCC GGCTAGGCTG GCGGGGTTGC CTTACTGGTT AGCAGAATGA 300
ATCACCGATA CGCGAGCGAA CGTGAAGCGA CTGCTGCTGC AAAACGTCTG 350
CGACCTGAGC AACAACATGA ATGGTCTTCG GTTTCCTGTG TTCGTAAAGT 400
CTGGAACACG GGAAGTCAGC GCCCTGCACC ATTATGTTCC GGATCTGCAT 450
CGCAGGATGC TGCTGGCTAC CCTGTGGAAC ACCTACATCT GTATTAACGA 500
AGCGCTGGCA TTGACCCTGA GTGATTTTTC TCTGGTCCCG CCGCATCCAT 550
ACCGCCAGTT GTTTACCCTC ACAACGTTCC AGTAACCGGG CATGTTTCATC 600
ATCAGTAACC CGTATCGTGA GCATCCTCTC TCGTTTCATC GGTATCATT 650
CCCCCATGAA CAGAAATTCC CCCTTACACG GAGGCATCAA GTGACCAAAC 700
AGGAAAAAAC CGCCCTTAAC ATGGCCCGCT TTATCAGAAG CCAGACATTA 750
ACGCTTCTGG AGAAACTCAA CGAGCTGGAC GCGGATGAAC AGGCAGACAT 800
CTGTGAATCG CTTACAGACC ACGCTGATGA GCTTTACCGC AGCTGCCTCG 850
CGCGTTTCGG TGATGACGGT GAAAACCTCT GACACATGCA GTCCTCGGAG 900
ACGGTCACAG CTTGTCTGTA AGCGGATGCC GGGAGCAGAC AAGCCCGTCA 950
GGGCGCGTCA GCGGGTGTG GCGGGTGTG GGGCGCAGCC ATGACCCAGT 1000
CACGTAGCGA TAGCGGAGTG TACTCTGGCT TAACATGCG GCATCAGAGC 1050
AGATTGTACT GAGAGTGCAC CATATCGGGT GTGAAATACC GCACAGATGC 1100
GTAAGGAGAA AATACCGCAT CAGGCGCTCT TCCGCTTCCT CGCTCACTGA 1150
CTCGCTGCGC TCGGTCTGTT GGCTGCGGCG AGCGGTATCA GCTCACTCAA 1200
AGGCGGTAAT ACGGTTATCC ACAGAATCAG GGGATAACGC AGGAAAGAAC 1250
ATGTGAGCAA AAGGCCAGCA AAAGGCCAGG AACCGTAAAA AGGCCGCGTT 1300
GCTGGCGTTT TTCCATAGGC TCCGCCCCCC TGACGAGCAT CACAAAAATC 1350
GACGCTCAAG TCAGAGGTGG CGAAACCCGA CAGGACTATA AAGATACCAG 1400
GCGTTTCCCC CTGGAAGCTC CCTCGTGCGC TCTCCTGTTT CGACCCTGCC 1450
GCTTACCGGA TACCTGTCCG CCTTCTCTCC TTCGGGAAGC GTGGCGCTTT 1500
CTCATAGCTC ACGCTGTAGG TATCTCAGTT CGGTGTAGGT CGTTCGCTCC 1550
AAGCTGGGCT GTGTGCACGA ACCCCCCGTT CAGCCCGACC GCTGCGCCTT 1600
ATCCGGTAAC TATCGTCTTG AGTCCAACCC GGTAAGACAC GACTTATCGC 1650
CACTGGCAGC AGCCAGGCGC GCCTTGGCCT AAGAGGCCAC TGGTAACAGG 1700
ATTAGCAGAG CGAGGTATGT AGGCGGTGCT ACAGAGTTCT TGAAGTGGTG 1750
GCCTAACTAC GGCTACACTA GAAGGACAGT ATTTGGTATC TGCGCTCTGC 1800
TGAAGCCAGT TACCTTCGGA AAAAGAGTTG GTAGCTCTTG ATCCGGCAAA 1850
CAAACCACCG CTGGTAGCGG TGGTTTTTTT GTTTGCAAGC AGCAGATTAC 1900
GCGCAGAAAA AAAGGATCTC AAGAAGATCC TTTGATCTTT TCTACGGGGT 1950
CTGACGCTCA GTGGAACGAA AACTCACGTT AAGGGATTTT GGTCATGAGA 2000
TTATCAAAAA GGATCTTCAC CTAGATCCTT TTAATTTAAA AATGAAGTTT 2050
TAAATCAATC TAAAGTATAT ATGAGTAAAC TTGGTCTGAC AGTTACCAAT 2100
GCTTAATCAG TGAGGCACCT ATCTCAGCGA TCTGTCTATT TCGTTCATCC 2150
ATAGTTGCC TACTCCCCGT CGTGTAGATA ACTACGATAC GGGAGGGCTT 2200
ACCATCTGGC CCCAGTGCTG CAATGATACC GCGAGACCCA CGCTCACCGG 2250
CTCCAGATTT ATCAGCAATA AACCAGCCAG CCGGAAGGGC CGAGCGCAGA 2300
AGTGGTCCTG CAACTTTATC CGCCTCCATC CAGTCTATTA ATTGTTGCCG 2350
GGAAGCTAGA GTAAGTAGTT CGCCAGTTAA TAGTTTGCGC AACGTTGTTG 2400
CCATTGCTGC AGGCATCGTG GTGTCACGCT CGTCGTTTGG TATGGCTTCA 2450
TTCAGCTCCG GTTCCCAACG ATCAAGGCGA GTTACATGAT CCCCCATGTT 2500
GTGCAAAAAA GCGGTTAGCT CCTTCGGTCC TCCGATCGTT GTCAGAAGTA 2550
AGTTGGCCGC AGTGTTATCA CTCATGGTTA TGGCAGCACT GCATAATTCT 2600
CTTACTGTCA TGCCATCCGT AAGATGCTTT TCTGTGACTG GTGAGTACTC 2650
AACCAAGTCA TTCTGAGAAT AGTGTATGCG GCGACCGAGT TGCTCTTGCC 2700
CGGCGTCAAC ACGGGATAAT ACCGCGCCAC ATAGCAGAAC TTAAAAAGTG 2750
CTCATATTAG GAAAACGTTT TTCGGGGCGA AAACCTCTCA GGATCTTACC 2800
GCTGTTGAGA TCCAGTTTCA GTAAACCCAC TCGTGACACC AACTGATCTT 2850
CAGCATCTTT TACTTTCACC AGCGTTTCTG GGTGAGCAAA AACAGGAAGG 2900
CAAAATGCCG CAAAAAAGGG AATAAGGGCG ACACGGAAAT GTTGAATACT 2950
CATACTCTTC CTTTTTCAAT ATTATTGAAG CATTTATCAG GGTATTGTC 3000
TCATGAGCGG ATACATATTT GAATGTATTT AGAAAAATAA ACAAATAGGG 3050

GTTCGCGCA CATTTCCTCCG AAAAGTGCCA CCTGACGTCT AAGAAACCAT 3100
TATTATCATG ACATTAACCT ATAAAAATAG GCGTATCACG AGGCCCTTTC 3150
GTCTTCAAG 3159

Please replace the paragraph beginning on page 93, line 1, with the following amended paragraph:

pCK7-96 (Nucleotide residues 3376 to 3881)(SEQ ID NO:39)

AGGAGAATGAATAAATAAAGTGAATCTTTGCACCTGTGGTTTCTCTCTTTCCTCAATTTAATAATTATT
ATCTGTTGTTTACCAACTACTCAATTTCTCTTATAAGGGACTAAATATGTAGTCATCCTAAGGCGCATA
ACCATTTATAAAAAATCATCCTTCATTCTATTTTACCCTATCATCCTCTGCAAGACAGTCCTCCCTCAAA
CCCACAAGCCTTCTGTCCTCACAGTCCCCTGGGCCATGGATCCTCACATCCCAATCCGCGGCCGCAATT
CGTAATCATGGTCATAGCTGTTTCTGTGTGAAATTGTTATCCGCTCACAATTCCACACAACATACGAG
CCGGAAGCATAAAGTGTAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCACATTAATTGCGTTGCGCT
CACTGCCCGCTTTCCAGTCGGGAAACCTGTCTGCGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGA
GAGGCGGTTTGCCTATTGGGCGC

Please replace the paragraph beginning on page 93, line 8, with the following amended paragraph:

pCG7-96 (SEQ ID NO:40)

Please replace the paragraph beginning on page 94, line 12, with the following amended paragraph:

pG4HE (SEQ ID NO:41)

Please replace the paragraph beginning on page 95, line 17, with the following amended paragraph:

10D1 VH(SEQ ID NO:16)

Please replace the paragraph beginning on page 95, line 27, with the following amended paragraph:

10D1 VK(SEQ ID NO:6)

Please replace the paragraph beginning on page 95, line 37, with the following amended paragraph:

4B6 VH(SEQ ID NO:18)